



*PRAGMATIC.
SIMPLE.
EFFICIENT.
TRUSTWORTHY.*



Wide range of **LED** products
PRODUCT CATALOG

Luxa brings to you a wide range of energy efficient lighting solutions with the state-of-the-art products to choose from. Brighten your homes with our innovative, user-friendly and unique spectrum of lighting products and help us achieve affordable lighting across India. Explore our consumer lighting & LED sections to know more.

BULBS & BATTENS



DURALED

Watt(W)	Lumen(lm)	CCT(K)	Base Cap	Standard Packing	MRP(₹)
5	525	6500	B22	50	140.00
7	735	6500	B22	50	150.00
9	945	6500	B22	50	160.00
12	1260	6500	B22	50	260.00
15	1575	6500	B22	30	300.00
18	1890	6500	B22	30	400.00



DURA MAX

Watt(W)	Lumen(lm)	CCT(K)	Base Cap	Standard Packing	MRP(₹)
20	2000	6500/3000	B22	10	350.00
36	3000	6500/3000	B22	10	625.00
45	4000	6500/3000	B22	10	850.00
55	5000	6500/3000	B22	10	1150.00
70	7000	6500/3000	B22	10	1750.00



INVERTER BLUB

Watt(W)	Lumen(lm)	CCT(K)	Base Cap	Standard Packing	MRP(₹)
10	1000	6500	B22	20	800.00

LUMOS

Watt(W)	Lumen(lm)	CCT(K)	Length	Standard Packing	MRP(₹)
20	2000	6500	4 Feet*	20	550.00
40	4000	6500	4 Feet*	20	1150.00


*Actual Product may vary in length

CONCEALED DOWNLIGHTS



GLO LED

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
7	700	6500	Ø75xØ110x40	50	300.00




NOVA NEU/ NOVA PLUS

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
7	630	6500K	Ø72XØ110X26	50	250.00
9	810	6500K	Ø72XØ110X26	50	320.00




WAVE

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
9	810	6500	Ø75xØ110x40	50	370.00



STORME

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
12	1200	6500	Ø80xØ105x47	50	650.00






STREAK LED

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
7	700	6500	Ø75X Ø110X45	50	429.00




HANDI LED

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
6	600	6500	Ø75X Ø110X50	50	359.00




Glory

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
9	900	6500	Ø75X Ø110X50	50	400.00



GLO 3in1

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
7	630	6500	Ø75xØ105x50	50	450.00



PANEL / CONCEALED 5" DOWNLIGHT



PENTA


Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
12	1200	6500	Ø106xØ130x35	20	650.00
			SHAPE	Color Temperature	
			RD		

DEEP JUNCTION DOWNLIGHT




JUNCTION MINI NEO PLUS

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
3	300	6500	Ø45xØ82x30	50	250.00




JUNCTION NEXA

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
3	300	6500	50	200.00





SPARK

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
12	1200	6500	Ø40 x Ø110x45	50	750.00




JUNCTION SPARK

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
9	810	6500	Ø50xØ83x45	20	600.00
16	1440	6500	Ø50xØ140X55	20	800.00



MOSAIC RAINBOW LIGHT (3-IN-1)

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
10	900	6500+PBG	Ø40xØ88x45	50	650.00
15	1350	6500+PBG	Ø40xØ110X45	50	1200.00



COB LENS CONCEALED / DEEP DOWNLIGHT




COSMO LENS

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
4	400	6500	Ø55xØ75x42	50	400.00
8	800	6500	Ø80xØ105X47	50	550.00




ADJUSTABLE FRAMESLESS CONCEAL / PANEL



FLEXI LED

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
12	1200	6500	Ø65-100xØ120x40	50	949.00
20	2000	6500	Ø65-150xØ170X40	50	1149.00



PANEL LIGHTS



HI-LITE PROFILE PANEL

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
15	1500	6500	Ø150Øx170x30	20	900.00



MAGNA NEU PC PANEL

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
9	900	6500	Ø105 mmX Ø116X35	20	350.00
12	1200	6500	Ø125 mmX Ø147X35	20	500.00
15	1500	6500	Ø155 mmX Ø165X35	20	600.00
22	2200	6500	Ø205 mmX Ø220X35	20	1050.00






SlimLed

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
8	680	6500	Ø100X118X21Ø	20	550.00
12	1020	6500	Ø125X142X21Ø	20	700.00
15	1275	6500	Ø152X168X21Ø	20	850.00
20	1700	6500	Ø200X216X21Ø	20	1200.00

SHAPE
○ □
RD SQ

Color Temperature
○ ● ●

DUAL COLOUR PANEL LIGHTS



CHROME (6+6) LED PANEL

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
6+6	1200	6500+BLU	Ø102X Ø143XØ 30	30	700.00

SHAPE
○
RD

Color Temperature

○ ● ● ● ● ● ● ●
6500K 4000K 3000K RED BLUE PINK GREEN

SURFACE PANEL LIGHTS



DAZZLE

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (OD H) (mm)	Standard Packing	MRP(₹)
8	800	6500	Ø86x40	20	500.00
15	1500	6500	Ø140x42	20	750.00

SHAPE
○
RD

Color Temperature

○ ● ● ● ● ● ● ●
6500K 4000K 3000K RED BLUE PINK GREEN



LUXXO TWISTER

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (OD H) (mm)	Standard Packing	MRP(₹)
09	900	6500	Ø90x50	50	650.00
12	1200	6500	Ø120x50	50	1050.00
16	1600	6500	Ø155x50	50	1450.00

SHAPE
○
RD

Color Temperature

○ ●
6500K 3000K
6500K 4000K 3000K

CABINET LIGHTS



MINT SPOT LIGHT

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
2	200	6500	Ø35xØ42x15	50	200.00

SHAPE

RD

Color Temperature

6500K 4000K 3000K RED BLUE PINK GREEN



SHINE STRIKER LIGHT

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (mm)	Standard Packing	MRP(₹)
3	270	6500	60X12	100	150.00

SHAPE

RD

Color Temperature

6500K 4000K 3000K

COB SPOT LIGHT & TRACK LIGHT



WALL SPOT

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
10	1000	6500	20	1800.00
20	2000	6500	20	2700.00
30	3000	6500	20	3500.00

Color Temperature

6500K 4000K 3000K



TRACK LIGHT

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
10	1000	6500	20	1800.00
20	2000	6500	20	2700.00
30	3000	6500	20	3500.00

Color Temperature

6500K 4000K 3000K



COB LIGHT

Watt(W)	Lumen(lm)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
7	700	Ø 65X Ø85X55	50	800.00
10	1000	Ø 80X Ø100X65	50	900.00
16	1600	Ø115X Ø136X85	20	1500.00
25	2500	Ø135X Ø160X85	20	2000.00
35	3500	Ø140X Ø157X115	20	2500.00
50	5000	Ø140X Ø157X130	20	3500.00

Color Temperature



GLOSTAR COB LIGHT

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
3	300	6500	50	700.00
6	600	6500	50	775.00
10	1000	6500	50	850.00
15	1500	6500	50	1050.00

Color Temperature



COB LIGHT DEEP

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
7	700	6500	20	850.00
12	1200	6500	20	1100.00
18	1800	6500	20	1400.00

Color Temperature



JUNCTION COB

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
3	270	6500	50	300.00

Color Temperature




COB SURFACE CYLINDER

Watt(W)	Lumen(lm)	CCT(K)	Standard Packing	MRP(₹)
7	700	6500	50	1050.00
12	1200	6500	30	1350.00
18	1800	6500	30	1800.00

Color Temperature



FLOOD & STREET LIGHT



FLOOD LIGHT

Watt(W)	Lumen(lm)	CCT(K)	IP RATING	Standard Packing	MRP(₹)
12	1200	6500	IP66	20	1500.00
24	2400	6500	IP66	20	1900.00
30	3000	6500	IP66	6	1950.00
50	5000	6500	IP66	6	2950.00
100	10000	6500	IP66	4	5900.00
150	15000	6500	IP66	4	12500.00
200	20000	6500	IP66	4	14500.00
300	30000	6500	IP66	1	17500.00
400	40000	6500	IP66	1	20500.00

Color Temperature



FLOOD LIGHT(DOB)

Watt(W)	Lumen(lm)	CCT(K)	IP RATING	Standard Packing	MRP(₹)
50	500	6500	IP66	20	2150.00
100	1000	6500	IP66	20	3750.00


Color Temperature



FLOOD LIGHT (PC BODY)

Watt(W)	Lumen(lm)	CCT(K)	IP RATING	Standard Packing	MRP(₹)
20	2000	6500	IP66	20	1200.00


Color Temperature



STREET LIGHT

Watt(W)	Lumen(lm)	CCT(K)	IP RATING	Standard Packing	MRP(₹)
24	2400	6500	IP66	10	1550.00
36	3600	6500	IP66	10	2150.00
50	5000	6500	IP66	10	3750.00
90	9000	6500	IP66	3	5850.00
120	12000	6500	IP66	3	9500.00
150	15000	6500	IP66	3	10500.00
200	20000	6500	IP66	3	14500.00

Color Temperature





WELL GLASS

Watt(W)	Lumen(lm)	CCT(K)	IP RATING	Standard Packing	MRP(₹)
45	4500	6500	IP66	10	2550.00



HI BAY

Watt(W)	Lumen(lm)	CCT(K)	IP RATING	Standard Packing	MRP(₹)
100	10000	6500	IP66	1	10500.00
150	15000	6500	IP66	1	12500.00
200	20000	6500	IP66	1	14500.00



ROPE LIGHT

Watt(W)	VOLTAGE	LED/MTR	IP RATING	ROLL SIZE	MRP(₹)
9/MTR	230 V	120	IP66	50 MTR	12000.00
6.5/MTR	230 V	60	IP66	50 MTR	9500.00

Color Temperature



TIRANGA ROPE LIGHT

Watt(W)	VOLTAGE	LED/MTR	IP RATING	ROLL SIZE	MRP(₹)
9/MTR	240 V	120	IP66	18 MTR	4500.00



STRIP LIGHT

Watt(W)	VOLTAGE	LED/MTR	IP RATING	ROLL SIZE	MRP(₹)
4.8/W	12 V	60	IP20	5 MTR	650.00
4.8/W	12 V	120	IP20	5 MTR	900.00
9.6/W	12 V	180	IP20	5 MTR	1500.00
9.6/W	12 V	240	IP20	5 MTR	1800.00

Color Temperature



DRIVER

AMP	VOLTAGE	CURRENT	WATTAGE	Standard Packing	MRP(₹)
1AMP	12 V	1000mA	12W	50	400.00
2AMP	12 V	2000mA	24W	50	650.00
4AMP	12 V	4000mA	48W	50	1050.00



WALL LIGHT

WATTAGE	LED	Standard Packing	MRP(₹)
4W	1+1 C Series	50	750.00
8W	2+2 C Series	50	1000.00
12W	3+3 Series	50	1200.00
5W	Half K	50	775.00
10W	Full K	50	1125.00
4W	2 Way Slim	50	850.00
4W	4 Way Single Color(S)	50	925.00



GARDEN SPIKE LIGHT

Watt(W)	HEIGHT	Standard Packing	MRP(₹)
5W	60MM	12	1400.00
9W	65MM	12	1800.00
12W	160MM	12	2100.00

Color Temperature



BULKHEAD



BULKHEAD

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
15	1500	6500	Ø170xØ70x50	50	650.00
20	2000	6500	Ø210xØ100x55	50	1050.00



Wall Surface Light



PYRO

Watt(W)	Lumen(lm)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
9	900	Ø86xØ86x68	50	550.00

2x2 PANEL



2x2 PANEL

Watt(W)	Lumen(lm)	CCT(K)	DIMENSION (CO OD H) (mm)	Standard Packing	MRP(₹)
36	4000	6500	Ø600xØ600	10	3000.00



Tape

Tape


Name of Product	Type	Lenth/Width/Thickness	Standard Packing	Unit Price(Rs.)
PVC ELECTRICAL INSULATION TAPE	F-PVC/90/0/TP/FR	6mtr/16mm/0.125mm	30X16	16.00
		15mtr/16mm/0.125mm	20X16	40.00




GI Modular Box



Size : 3"X3"
Module : 1/2M
Type : SHEETMETAL
Weight : 160 g
Std. Pkg. : 60 pcs



Size : 4"X3"
Module : 3M
Type : SHEETMETAL
Weight : 190 g
Std. Pkg. : 40 pcs



Size : 5"X3"
Module : 4M
Type : SHEETMETAL
Weight : 230 g
Std. Pkg. : 30 pcs



Size : 8"X3"
Module : 6M
Type : SHEETMETAL
Weight : 320 g
Std. Pkg. : 21 pcs



Size : 5"X5"
Module : 8M S
Type : SHEETMETAL
Weight : 350 g
Std. Pkg. : 30 pcs



Size : 9"X3"
Module : 8M H
Type : SHEETMETAL
Weight : 350 g
Std. Pkg. : 20 pcs



Size : 8"X6"
Module : 12M
Type : SHEETMETAL
Weight : 470 g
Std. Pkg. : 20 pcs



Size : 8"X8"
Module : 18M
Type : SHEETMETAL
Weight : 670 g
Std. Pkg. : 10 pcs

Distribution Board

Features:

- Designed for surface & flush mounting
- Spring loaded outer cover
- Masking sheet provides protection during installation work
- Supplied with Earth bar, elevated Neutral bar & Bus bar
- Top and bottom removable gland plates for easy wiring
- Translucent cover with concealed screws



DB BOXES		M.R.P.	
ITEM NAME	Type	Deep Draw	Standard Packing
4WAY SPN DD DB	Double Door	1050	24
6WAY SPN DD DB	Double Door	1240	20
8WAY SPN DD DB	Double Door	1395	16
10WAY SPN DD DB	Double Door	1500	16
12WAY SPN DD DB	Double Door	1695	12
16WAY SPN DD DB	Double Door	1985	10
4WAY TPN DD DB	Double Door	1145	24
6WAY TPN DD DB	Double Door	1370	20
8WAY TPN DD DB	Double Door	1550	16

AXIAL FAN

AXION

SIZE	MRP.	VOLTS	
6 INCH	1450.00	SWEEP	: 230V. 50Hz 1 Phase A.C.
8 INCH	1950.00	QUANTITY	: 6" 150mm, 8" 200mm
6 INCH SQUARE	1850.00	R.P.M.	: 1 Number
		COLOUR	: 1800 ± 10%
			: Opal White



ELECTRONIC METER

LCD / ANALOG METER

AC SINGLE PHASE TWO WIRE 240 50Hz

Voltage : 240V/50Hz

Rating : 5-30A 10-40A

LCD METER

Product Code M.R.P.(incl. of all taxes)



919101	₹ 1500/-
--------	----------

ANALOG METER

Product Code M.R.P.(incl. of all taxes)

919102	₹ 1200/-
--------	----------





LUXA INDUSTRIES (OPC) PRIVATE LIMITED

(An ISO 9001:2015 Certified Company)

B-86, Sector-60, Noida-201301,(U.P.) INDIA

For any Queries or Feedback

Customer Care : **09354405843**

Email : customer@luxaindustries.com

Website : www.luxaindustries.com

